



# Safety Data Sheet

SDS has been prepared in accordance with Regulation (EC) No. 453/2010

**This Safety Data Sheet is written in reference to a sealed glass ampoule containing 10ml of the product named below.**

## Section 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Substance name:** 2,2,4 Trimethylpentane

<b>Synonyms:</b> Iso octane (iC8)	<b>Product type:</b> Liquid density standard	<b>Date revised:</b> Apr 2024 <b>Previous:</b> Jun 2022
--------------------------------------	---	--

<b>EC No:</b> 208-759-1	<b>CAS No.:</b> 540-84-1
-------------------------	--------------------------

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses:** For use in the calibration of density meters.

### 1.3 Details of the supplier of the Safety Data Sheet

**Company:** H&D Fitzgerald Ltd.  
**Address:** Cefn Du, Tremeirchion, St Asaph, Denbighshire, LL17 0US, UK  
**Telephone #:** +44 (0)1352 720 774  
**Email address:** admin@density.co.uk

### 1.4 Emergency telephone number

+44 (0)1352 720 774

## Section 2 Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No1272/2008 [CLP]:

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), H336

Aspiration hazard (Category 1), H304

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

### 2.2 Label elements

#### Pictogram:



**Signal word:** Danger

<b>Hazard statement(s):</b>	H225	Highly flammable liquid and vapour
	H304	May be fatal if swallowed and enters airways
	H315	Causes skin irritation
	H336	May cause drowsiness or dizziness
	H410	Very toxic to aquatic life with long lasting effects.
<b>Precautionary statement(s):</b>	P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray
	P273	Avoid release to the environment

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or a doctor/physician
P331	Do NOT induce vomiting
P501	Dispose of contents/ container to an approved waste disposal plant.
<b>2.3 Other hazards</b>	This substance/ mixture contains no components considered either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Section 3 Composition / Information on ingredients

<b>Substance name:</b> 2,2,4 Trimethylpentane			<b>Synonyms:</b> Iso octane (iC8)	
C.A.S. No.	EINECS No.	Index-No. in CLP Annex IV	Classification	Concentration
540-84-1	208-759-1	601-009-00-8	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H315, H336, H304, H400, H410 M-Factor - Aquatic Acute: 10	<= 100%
For full text of H-statements mentioned in this section, see Section 16.				
<b>Formula:</b>		C <sub>8</sub> H <sub>18</sub>		
<b>Molecular Weight:</b>		114.23g/mol		

### Section 4 First Aid measures

<b>4.1 Description of first aid measures</b>	
<b>General advice:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance.
<b>Following inhalation:</b>	Move the person into fresh air. If not breathing give artificial respiration. Consult a physician.
<b>Following ingestion:</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water and consult a physician without delay.
<b>Following eye contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician.
<b>Following skin contact:</b>	Wash off with soap and plenty of water. Consult a physician.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.	
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	
No data available.	

### Section 5 Fire fighting measures

<b>5.1 Extinguishing media</b>	
<b>Extinguishing media:</b>	For small (incipient) fires, use media such as "alcohol" foam, dry chemical or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.
<b>Unsuitable media:</b>	None.

<b>5.2 Special hazards arising from the substance or mixture</b>	
	Carbon oxides. Flash back possible over considerable distance. Container explosion may occur under fire conditions.
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for fire-fighters:</b>	Wear protective clothing and self contained breathing apparatus.
<b>5.4 Further information</b>	Use water spray to cool unopened containers

<b>Section 6 Accidental release measures</b>	
<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	
<b>Protective equipment:</b>	Wear safety glasses with side shields and gloves.
<b>Personal precautions:</b>	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
<b>6.2 Environmental precautions</b>	
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
<b>6.3 Methods and material for containment and cleaning up</b>	
	Ventilate area. Contain spillage, and then collect with non-combustible material and place in a suitable container for disposal according to local/national regulations.
<b>6.4 Reference to other sections</b>	
	For disposal see section 13.

<b>Section 7 Handling and storage</b>	
<b>7.1 Precautions for safe handling</b>	
<b>Handling precautions:</b>	Avoid contact with eyes and skin. Avoid inhalation of vapour or mist. Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practise. Keep away from from sources of ignition – No smoking Take measures to prevent the build up of electrostatic charge. For precautions see 2.2.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
<b>Storage precautions:</b>	Store ampoule in the outer packaging until ready to use. Store in a cool place (less than 25°C). Do not store the ampoule once opened, dispose of after use.
<b>7.3 Specific end use(s)</b>	
<b>Recommendations:</b>	Liquid density standard for calibration of density meters.

<b>Section 8 Exposure controls and personal protection</b>	
<b>8.1 Control parameters</b>	
<b>Components with work place control parameters</b>	
Contains no components with occupational exposure limit values.	
<b>8.2 Exposure controls</b>	
<b>Personal protective equipment</b>	
<b>Respiratory protection:</b>	Use in a well ventilated area.
<b>Eye/Face protection:</b>	Wear safety glasses with side shields conforming to EN166.
<b>Hand protection:</b>	Handle with gloves conforming to EN374.
<b>Other skin protection:</b>	Use of protective clothing is good industrial practise.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practise. Wash hands with soap before breaks and at the end of the workday.
<b>Environmental exposure controls</b>	
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.	

<b>Section 9 Physical and chemical properties</b>			
<b>9.1 Information on basic physical and chemical properties</b>			
<b>Appearance:</b> Colourless, liquid	<b>Odour:</b> strong	<b>Odour threshold:</b> no data available	<b>pH:</b> no data available
<b>Melting point:</b> -107°C	<b>Boiling point &amp; range:</b> 98-99°C	<b>Flash point:</b> -12°C – closed cup	<b>Evaporation rate:</b> no data available
<b>Flammability:</b> Highly flammable	<b>Upper/lower flammability or explosive limits:</b> Upper limit: 6%(V) Lower limit: 1%(V)	<b>Vapour pressure:</b> 55 hPa at 21°C 117 hPa at 37.8°C	<b>Relative vapour density:</b> 3.94 (Air = 1.0)
<b>Density of liquid:</b> ≈ 692 kgm <sup>-3</sup> at 25°C	<b>Solubility:</b> insoluble	<b>Partition coefficient: n-octanol/water</b> log Pow: 4.6	<b>Auto-ignition temperature:</b> no data available
<b>Decomposition temperature:</b> no data available	<b>Viscosity:</b> no data available	<b>Explosive properties:</b> no data available	<b>Oxidising properties:</b> no data available
<b>9.2 Other information</b>			
<b>Miscibility with water:</b> immiscible with water			

<b>Section 10 Stability and reactivity</b>	
<b>10.1 Reactivity</b>	No data available
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No data available
<b>10.4 Conditions to avoid</b>	Heat, flames and sparks. Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Strong oxidising agents.
<b>10.6 Hazardous decomposition products</b>	Hazardous decomposition products formed under fire conditions – carbon oxides.

## Section 11 Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

<b>Inhalation:</b>	LC50 Inhalation - Rat - 4h - >33.52 mg/l (OECD Test Guideline 403)
<b>Ingestion:</b>	LD50 Oral - Rat - > 5000 mg/kg (OECD Test Guideline 401)
<b>Skin corrosion/irritation:</b>	LD50 Dermal - Rabbit - > 2000 mg/kg (OECD Test Guideline 402) Skin Rabbit. Result: Irritating to to skin (OECD Test Guideline 404)
<b>Serious eye damage/irritation:</b>	Eyes - Rabbit. Result: No irritation (OECD Test Guideline 405)
<b>Germ cell mutagenicity:</b>	Rat - Unscheduled DNA synthesis
<b>Carcinogenicity:</b>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>Reproductive toxicity:</b>	No data available.
<b>Specific target organ toxicity – single exposure:</b>	May cause drowsiness or dizziness.
<b>Specific target organ toxicity – repeated exposure:</b>	No data available.
<b>Aspiration hazard:</b>	This substance is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

<b>Additional information:</b>	RTECS: SA3320000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Liver - Irregularities - Based on human evidence.
--------------------------------	--

## Section 12 Ecological information

2,2,4 Trimethylpentane is unlikely to present any ecological risk in the quantity supplied in a 10 ml ampoule.

**12.1 Toxicity** No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects** Very toxic to aquatic life with long lasting effects.

## Section 13 Disposal considerations

**General requirements:** Observe all national and local environmental regulations.

**Contaminated packaging:** Dispose of as unused product.

## Section 14 Transport information

<b>UN Number</b> 1262	<b>UN proper shipping name</b> octanes	<b>Transport hazard class(es)</b> 3
<b>Environmental hazards</b> not classified	<b>EMS-No:</b> F-E, S-E	<b>Packing group</b> packing group II

### Section 15 Regulatory information

#### 15.1 Safety health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010.

#### 15.2 Chemical safety assessment

No chemical assessment has been carried out for this substance by the supplier.

### Section 16 Other information

#### Text of H-code(s) mentioned in Section 2 & 3

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.

**Reason for revision:** Biennial review.

#### Disclaimer

H&D Fitzgerald Ltd believes that data given here is accurate. It is derived from published information about 2,2,4 Trimethylpentane. No warranty, expressed or implied, is intended. The data is provided for your information and consideration when using 2,2,4 Trimethylpentane as a liquid density standard for the calibration of density meters. H&D Fitzgerald Ltd assumes no legal responsibility for its use.